MINERAL SURVEY No. 3695.

	ARIZONA.	
		Land District.
FIE	ELD NOTE	ES
OF THE SURV	VEY OF THE MINING	CLAIM OF
	JOHN MACKIN.	
	KNOWN AS THE	
HAWK &	and PIGEON LODES	
	WARM SPRINGS	Mining District,
COCONINO approximately Section 1 Town	_	ARIZONA , Range 1 E., unsurveyed.
Surveyed under instruction	ATIONAL FOREST Restants dated September	ESFRVE. r 16 , 19 20 "
	by Leon	H. Foster
		U. S. Mineral Surveyor.
Claim located	May 23rd Seelocal	tion notices, 1920
· Survey commenced	September 28	, 19 20
Survey completed	September 28	, <i>19</i> ²⁰
Address of claimant	John Mackin, 51 Chicago, Ill.	13 N. State St.,
DATES OF	F AMENDED LOCAT	CIONS.

6—822		

1

feet.

Hawk lede.

Beginning at Cor. No. 1. - - - - - 1 Jesuitus

A limestone rock, 24 X 8 X 6 ins., set 12 ins., in the ground, marked with a cross at the exact corner point with H=1-3695 on northeast face.

Identical with the location and with Cor. No. 2, Pigeon lode, this survey.

A yellow pine tree, 15 ins., diam., bears S 79°00'E., 44.30 ft., marked X B T 3695-H-1-P-2.

A yellow pine tree, 18 ins., diam., bears S 89° 27'W., 25.40 ft., marked X B T 3695.

U. S. M. M. No. 1 bears S 13 07 20 W., 7780.03 ft.,

16.70 ft., marked X B I 3626.

Cor. No. 4, Grant lode, Sur. No. 3707 bears N 89°32'W., 544.15 ft. one police of all with feelined

Cor. No. 3, Copper Con lode, Sur. No. 3102 bears 1'31'46 N 81'06'30"E., 298.30 ft. 913 913 Walley A

Thence N 16952'W.

1500.00

To Cor. No. 2-005 T & X berram ... 13 04.18

A limestone rock 24 X 7 X 7 ins., set 12 ins. in the ground in a mound of earth and stone, marked with a cross at the exact corner point with H-2-3695 on the southeast face. It is said to the fact the fact

Identical with the location.

A yellow pine tree 18 ins., diam., bears N 65°35'E., 28.10 ft., marked X B T 3695.

A yellow pine tree 12 ins., diam., bears S 36°46'E., 100.00 ft., marked X B T 3695-H-2.

Thence N 73°08'E.,

To the north end center of the location. 300.00

The discovery cut bears S 16°52'E., 1300.00 ft.

To Cor. No. 3. 600.00

> A limestone rock, 24 X 8 X 6 ins., set 12 ins., in the ground in a mound of earth and stone, marked with a cross at the exact corner point with H-3-3695 on the

.Jes?

feet.

Hawk lode, continued.

Regisming at Oor. No. 1.

southwest face.

A yellow pine tree, 22 ins., diam., bears N. 69° 52'E., 22.30 ft., marked X B T 3695.

A yellow pine tree, 24 ins., diam., bears S 21° 22'W., 64.20 ft., marked XXB T 3695- H-3.

Thence S 16°52'E.

1500.00

To Cor. No. 4. Cons. P & X bestsm . . 13 08. As

A limestone rock, 24 X 8 X 8 ins., set 12 ins. in the ground in a mound of earth and stone, marked with a cross at the exact corner point with H-4-3695 on north-west face.

Identical with the location and with Cor. No. 3,
Pigeon lode, this survey.

A yellow pine tree 24 ins. diam. bears S 24°16'E. 16.70 ft., marked X B T 3695.

A yellow pine tree, 20 ins., diam., bears S 76°26'W., 61.40 ft., marked X B T 3695-H-4-P-3.

diw bedram , eno. Thence S. 73°08'W. . om a ni baucry ent

A limestone rock 24 X 7 X 7 ins., set 12 ins. in

300.00 __To the south end center of the location.

Identical with the north end center of the Pigeon lode, this survey:

The discovery cut bears N 16°52'W., 200.00 ft.

600.00 To Cor. No. 1, the place of beginning.

Variation at all corners, 15°30'East.

PIGEON lode.

Beginning at Cor. No. 1.

A point on the side of an open cut of the Copper Glance lode, Sur. No. 3102, where it is impossible to set a permanent corner, therefore at a point on the side line, N 37°34'W., 10.04 ft. from the true point for corner I set a witness corner to Cor. No. 1 as herein-

after described.

3

feet.

Pigeon'lode, continued.

From At the true point for Cor. No.1, which is Identical with the location.

U. S. M. M. No. 1, bears S-18°49'W., 7228.52 ft.

Cor. No. 2, Sur. No. 3102, Copper Glapce lode bears N 84°21'W., 78.50 ft.

Thence N 37°34'W.

8.00

Top of open cut, bears \$ 60°W. and N 60°E.

10.04

To witness corner to Cor. No. 1.

A limestone rock, 24 X 8 X 8 ins., set 12 ins. in the ground in a mound of earth and stone, marked with a cross at the exact corner point with W C P -1-3695 on the north face.

A yellow pine tree 18 ins., diam: bears S 28°27'W., 51.40 ft., marked X B T 3695 W C.

A yellow pine tree 20 ins., diam'; bears N 20°16'E., 81.40 ft., marked X B T 3695 W C-P-1.

28.76

Intersect the line 2-3, Sur. No. 3102, Copper Glance lode at N 76°02'E., 62.43 ft. from Cor. No. 2.

184.70 Intersect the line 3-4, Sur. No. 3102, Copper Con lode at S 13°58'E., 753.59 ft. from Cor. No. 3.

898.05

Intersect the line 2-3 Sur. No. 3102, Copper Con lode at S 76°02'W., 285.59 ft. from Cor. No. 3.

926.85

To Cor. No. 2.

A limestone rock previously described on which I mark P-2-3695 on the southeast face.

Identical with the location and with Cor. No. 1 of the Hawk lode, this survey.

Thence N 73°08'E.

developments, the weins in the claims of this survey

300.00 To the north end center of the location.

Identical with the south end center of the Hawk lode, this survey. A -: Doc manning

The discovery cut bears S 37°34'E., 821.85 ft.

600.00

To Cor. No. 3.

A limestone rock previously described on which I

feet.

PIGEON lode, continued.

mark P-3-3695 on the south face.

Identical with the location, and with Cor. No. 4 of the Hawk lode, this survey.

bears N 84°21' N.

Mr. E. Sur. No. 3102, Copper Olappe Iside Thence S 37°34'E.

926.85

600.00

To Cor. No. 4.

A limestone rock, 24 X 10 X 6 ins., set 12 ins. in the ground in a mound of earth and stone, amrked with a cross at the exact corner point with P-4-3695 on the northwest face.

Identical with the location.

AA yellow pine tree 14 ins., diam., bears S 32°09'E., 14.50 ft., marked X B T 3695.

A yellow pine tree 24 ins., diam., bears S 79°03'W., 34.50 ft., marked X B T 3695-P-4.

81.40 % tt., marked % B 7 3695 % C-F-1.

Thence S 73°08'W., Intersect line 2-3 Sur. No. 3102, Copper Glance 79.11 lode at N 76°02'E., 594.16 ft. from Cor. No. 2.

To the south end center of the location. 300.00

The discovery cut bears N 37°34'W., 105.00 ft.

Edge of open cut, bears N60°E., and S 60°W. 565.00

To true point for Cor. No.1, the place of beginning. Variation at all corners 15°30'East.

To 1 . 2 . 200 Main and Delance LODE LINES. 134321

As near as can be determined from present developments, the veins in the claims of this survey extend as follows:

Hawk lode; - N 16°52'W., 1300.00 ft., and S 16°52'E., 200.00 ft. from the discovery cut.

Pigeon lode: -N 37°34'W., 821.85 ft., and \$37°34'E., 105.00 ft. from the discovery cut.

no destroyed timoly. In Most Broken about A

5

INPERIOR STATE TO LOCATION . ROLLING d.

This survey is located in the Warm Springs Mining
District, in Coconino County, Arizona, in approximately
section 1, T. 38 N., R. 1 E., of the G. & S. R. B. & M.,
unsurveyed, in Kaibab National Forest Reserve.

No. 5, an open. ABRA 12 ft. X & ft. - 4 ft. depp.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

an open out, & ft. wide,

I certify that the value of the labor and improvements made upon and for the benifit of, each of the
claims embraced in this survey, by the claimant or his
grantors is not less than five hundred dollars and that
said improvements consist of:

Hawk lode.

No.1, the discovery cut, an open cut, 8 ft. wide, 6 ft. deep, extending N 38°E., 37 ft. from the point of discovery which is on the lode line N 16°52'W., 200.00 ft. from the south end center.

Value. 11s bus senil bus and stis. ... \$200.00

No.2, an open cut, 5 ft. wide, 3 ft. deep extending S 60°W., 50 ft. The face of this cut bears N 40°E., 220.00 ft. from Cor. No. 1.

Value.....\$150.00

No.3, an open cut. 8 ft. wide, 3 ft. deep, extending west 20 ft. The face of this cut bears N 54°E., 160.00 ft. from Cor. No. 1.

Value......\$100.00

EXPENDITURE OF FIVE HUNDRED DOLLARS, continued.

grinil synings graw and Hawk lode, con. was sing

No.4, an open cut, 10 ft; wide, 3 ft. deep extending west 20 ft. The face of this cut is on the lode line, N 16°52'W., 460.00 ft. from the south end center.

* * * * Value..... \$ 50.00

No. 5, an open pit, 12 ft. X 8 ft.- 4 ft. deep.

The center of this pit is on the lode line, N 16°52'W.,

480.00 ft. from the south end center.

Value....\$ 35.00

Pigeon lode.

Cooper Glance lode 0.161

No.1, the discovery cut, an open cut, 6 ft. wide, 6 ft. deep extending S 76°W., 70 ft., extending N 76°E., 15 ft., and extending N 6°30'W., 28 ft. all from the point of discovery which is on the lode line N 37°34'W., 105.00 ft. from the south end center.

value..... \$565.00

No. 2, an open pit, 10 ft X 10 ft. 10 ft. deep. The center of this pit bears S 57°52'W., 138.00 ft. from the point of discovery.

00.001\$ No.1, the discovery out, an open cut, B ft. wi S ft. deep, extending N 38°E., 57 ft. from the point

. refine one REPORT if meri . J' 00.008

The side and end lines and all other lines were

run directly on the ground. The end centers of location are monoments
of stone 3ft high, 3ft base.

U.S.M.M.No.l is a post, 6 ins. square, 6 ft. above ground, properly marked and set in a mound of stone

6 ft. base, 12 ins. high.

Sur. No. 3707, Grant Lode; The corner tied to is a limestone rock, firmly set in the ground, properly witnessed and marked with the number of the corner and suryey.

REPORT, continued.

Sur. No. 3102:

Copper Glance lode. The corner tied to is a pine post properly set and scribed with the number of the corner and survey. I find the course of the line 2-3 to be N 76°02'E., and hereby report the original survey to be in error that amount.

Copper Con lode; The corners tied to are pine posts, properly set and scribed with the number of the corner and survey. I find the course and distance of the line 2-3 to be N 76°02'E., 620.50 ft., and the course and distance of the line from Copper Con Cor. No.3, to Copper Glance Cor. No. 2, along the 3-4 line of the Copper Con lode to be S 13°58'E., 796.59 ft., and hereby report the original survey to be in error that amount.

INSTRUMENT AND MERIDIAN.

The survey was made with a 100 ft. and 500 ft. tape and a Berger Mining transit.

The meridian was determined by elongation observation on polaris.

Conflicting and surrounding claims.

The Pigeon lode is joined on the south and conflicts with the Copper Glance lode, Sur. No. 3102, and on the west adjoins and is in conflict with the Copper Con lode Sur. No. 3102. On all other sides the claims embraced in this survey are surrounded by public domain.

The differences between the notices and the survey are due to error in the former.

Leon / Froster

Kingman, Arizona.

U.S.Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals empl	oyed by Leon H. Foster			
	unning, measuring, and marking the lines, corners, and			
	of the survey of the mining claim of			
John Mackin				
	d Pigeon lodes			
and showing the respective capacities in which t				
	Fred W. Rodolf , Chainman.			
	. Chainman.			
	, Axman.			
	, Flagman.			
FINAL OATHS	OF ASSISTANTS.			
I, Fred W. Rodolf				
	lo solemnly swear that we assisted Leon H. Faster			
	ineral Surveyor, in marking the corners and surveying			
	John Mackin			
known as the Hawk and Pigeon 1	odes			
	been surveyed by said mineral surveyor and under his			
	ects, to the best of our knowledge and belief, faithfully			
	monuments established according to law and the instruc-			
tions furnished by the United States Surveyor-General				
was a substance of the officer braces burveyor-General				
	Ged W. Modalf, Chainman.			
	Chainman.			
	Axman,			
	Flagman.			
Subscribed and sworn to by the	above-named persons before me this 2 nd			
day of December.	, 19 20			
	Mary E. Carrow			
My Commission Expires Nov. 20th, 1923. 7/923	Mary & Carrow			
	6-1043			

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Leon H. Fo	oster	, U. S. Mineral Surveyor,			
do solemnly swear that, in	pursuance of instructions	received from the United States			
Surveyor General for	Arizona	dated			
September 16, 1920	I have in st	rict conformity to the laws of the			
United States, the official re	gulations and instructions	thereunder, and the instructions			
of said Surveyor General, fa	aithfully and correctly are	cuted the survey of the Mining			
Claim of	Toba Maria	in			
	Join Mack	ın			
	Hawk and Piggan	lodes , known as the			
situate in	Warm Springe	, ,			
Coconino	County,	Mining District, approximately Arizona, in Section			
Township No.	38 N , Range No. 1 E,	G.& S.R.B.& M. unsurveyed			
and designated as Survey No	3695	as represented			
in the foregoing field notes, w	which accurately show the I	boundaries of said mining claim			
as distinctly marked by monu	ments on the ground, and	described in the attached copy			
of the location certificate, whi	ich was received by me fr	om the Surveyor General with			
said instructions, and that all	the corners of said survey	have been established and per-			
petuated in strict accordance	with the law, official rega	plations and instructions there-			
under; and I do further sole	mnly swear that the foreg	oing are the true and original			
field notes of said survey and	d my report therein, and	that the labor expended and			
improvements made upon said	l mining claim by claimant	or his grantors			
are as therein fully stated, an	d that the character exten	t, location, and itemized value			
hereof are specified therein w	vith particularity and full	detail, and that no portion of			
aid labor or improvements so	credited to this claim has	been included in the estimate			
of expenditures upon any other	1 •				
	Oldin,				
		71-1			
	(\20.0	U. S. Mineral Surveyor.			
Subscribed and sworn to be	v the said	It. forting			
Subscribed and sworn to by the said Lon H. Foeter U. S. Mineral Surveyor, before me Matary Public this 2 d					
	betwee me	y Ouvice			
day of December	1920	this 2 1			
	Mari	Jo E. Carrow-			
y Commission Expires Nov. 20th, 1923.		31 + P1.			
y Communs 6-1044		la lary Unble			

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,	
	February 8	, 1921
I, U. S. Surveyor	r-General for District of ARIZONA,	
do hereby certify that	at the foregoing transcript of the Field Notes, return and approval	of the survey
of the mining claim	of	
***	JOHN MACKIN	
known as the	HAWK and PICEON LODES,	
	WARM SPRINGS	
Mining District,	COCONINO County, 1, Township No. 38 North, Range No. 1 E. Unsu	ARTZONA
	No. 3695 , has been correctly copied from the origi	
	Field Notes furnish such an accurate description of said mining cl	
	atent, serve fully to identify the premises, and that such reference is	
	permanent monuments as will perpetuate and fix the locus thereof.	
And I further ce	ertify that five hundred dollars' worth of labor has been expende	
	d mining claim by claimant or his grantors, and that said i	
consist of	s and 2 pits, total value \$1200.	
*************************		*
•		
		575555755555555555
***************************************		40 40 50 50 50 50 50 50 50 50 50 50 50 50 50
and that no portion of	f said labor or improvements has been included in the estimate of	expenditures
ipon any other claim.		
I further certify t	that the plat thereof, filed in the U.S. Land Office atPhoenix	9
	is correct and in conformity with the foregoing Field Not	
	Frank P. Trott,	
21812b3m2-06	United States Surveyor-General for_Arizona.	

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,			
	February 8 , 19 21		
I, U. S. Surveyor General forDistrict of A	RIZONA.		
do hereby certify that the foregoing and hereto attached Fie	eld Notes and Return of the Survey of the		
Mining Claim of			
JOHN MACK	IN		
	, known as the		
HAWK and PIGEO	N LODES,		
situate in WARM SPRIN	mining district,		
COCONT NO County,	ARIZONA		
approximately in Section			
Unsurveyed, designated as Survey No	3695		
executed by Leon H. Foster	, U. S. Mineral		
Surveyor,September 28,	, 1920, under my instructions dated		
September 16, , 192 Q have been co	ritically examined and the necessary cor-		
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,			
are hereby approved. The certified copy of the location certi-	ficate filed by the applicant for survey is		
on file in this office and a true copy of said certified copy of said	d location certificate is included and made		
part of the transcript of the field notes.			
A.	ms (D. Front		

U. S. Surveyor General for Arizona.